

Message

From: Colletti, John [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=9591FDFA5D8049E1ACAF8B441D875ED7-JCOLLETT]
Sent: 7/22/2013 8:46:58 PM
To: Jeff Swiston [jswiston@ashlanddailynews.net]
CC: Webb, Rachel [webb.rachel@epa.gov]
Subject: Ad for publication Thursday July 25
Attachments: Bad River newspaper notice approved.doc

Hi Jeff,

Please find attached the approved ad for publication in the July 25 Thursday edition of the Daily Press. Please put it in the main body of the paper, not in the classifieds. You provided an earlier estimate of \$162 and I understand this amount may change based on the actual ad (attached). Please contact Rachel Webb-Brewer using the information below for payment information. Can you send me an email on Thursday confirming the ad was printed? Thank you.

Rachel Webb-Brewer
USEPA, Water Division
Administrative Officer

77 W Jackson Blvd., W-15J
Chicago, Illinois 60604

(312) 886-0234 Office
(312) 582-5847 Fax
Webb.Rachel@epa.gov

John

From: Jeff Swiston [mailto:jswiston@ashlanddailynews.net]
Sent: Thursday, July 11, 2013 10:20 AM
To: Colletti, John
Subject: Re: estimate for ad

7/22 would be ok.

Jeff

On Jul 11, 2013, at 9:50 AM, Colletti, John wrote:

Hi Jeff,

I had requested an estimate for a box ad which you provided. You also said you needed the final copy 4 days in advance. If I need it published on July 25, when is the absolute last day that I can get it to you without having to pay extra? Would COB 7/22 work? Please let me know as soon as you can. Thanks.

John

From: Jeff Swiston <jswiston@ashlanddailynews.net>
Sent: Wednesday, June 19, 2013 3:02 PM
To: Colletti, John
Subject: Re: estimate for ad

Ad can go in the regular paper. Logo was included in price. 4 days in advance would be good.

Jeff

On Jun 19, 2013, at 2:51 PM, Colletti, John wrote:

Thanks Jeff for the quick response. Could this notice be put anywhere in the newspaper or does it have to be in the classified? We would prefer it in the main part of the paper to get the most views. Does the price include the EPA logo? Some papers won't include it unless specifically asked for. How many days do you need to have the final copy prior to the publication date?

Thanks for your help with this.

John

From: Jeff Swiston [<mailto:jswiston@ashlanddailynews.net>]

Sent: Wednesday, June 19, 2013 2:31 PM

To: Colletti, John

Subject: Re: estimate for ad

2 Columns wide x 9" high. \$162.00

Jeff Swiston

On Jun 19, 2013, at 1:56 PM, Colletti, John wrote:

Can you please give me an estimate to place a box ad notice similar to attached for a single day weekday run? This is not an authorization to run the ad.

Thank you.

John Colletti

USEPA

<20120904 IL GP Wastewater.doc>